

Matrix Specialty Lubricants

Matrix Specialty Lubricants is a company based in The Netherlands, producing and marketing specialty lubricants and greases.

Matrix Specialty Lubricants was created by a nucleus of industry specialists with a collective experience of many years working for major oil companies. Our vision is to harness new technology and, with the expertise of our chemists, provide the correct lubricant for each application. It is just a matter of knowledge.

Specific product information is available in our brochures and most of the technical data sheets can be found on our website:

www.matrix-lubricants.com. Our main products are divided into groups with the most common being presented in our brochures. The most up to date information can always be found on our website.



ISO ISO ISO

21469:2006 9001:2015 14001:2020

Bio Lubricant

This group of products includes biodegradable hydraulic, gear, and other lubricants as well as a range of greases and concrete mould release agents. High performance, long life, low toxicity and biodegradabilty are key factors within this product group.

Compressor, Vacuum and Refrigeration Fluids

A comprehensive range of gas and refrigeration compressor fluids providing long life and low maintenance costs in combination with high efficiency. The range consists of mineral, and synthetic (hydro treated, PAO, POE, Alkyl Benzenes, Di-Ester, Ester, PAG, PFPE) based lubricants with performance up to 12.000 hour drain intervals.

Food Grade Lubricants

A complete range of fluids, lubricants and greases for applications whenever a food grade lubricant is required. The high performance Foodmax[®] line is NSF and InS approved and includes a range of spray cans.

Industrial Specialty Products

This product group includes a range of specialty chain lubricants, gear oils, transformer oils and many more products. All the products exceed performance expectations contributing to lower maintenance costs.

Greases and Pastes

An extensive range of specialty greases and pastes, including polyurea, calcium sulphonate, aluminium, barium, silicon, inorganic and PFPE. By using the latest technology and materials we are able to provide high performance and problem solving products.

Metal Working Fluids and Rust Preventatives

This line of products includes the latest technology soluble metal working fluids, neat cutting oils, cold and hot forging, quenching, drawing and stamping products.

Specialty Base Oils and Dispersions

These base oils are used in the formulation of metalworking fluids, biodegradable hydraulic fluids, top tier 2 stroke engine oils, mould release agents and many more. They include DTO, TOFA and various types of esters. Another range includes both technical and pharmaceutical white oils. The Matrix line of D-MAX colloidal dispersions contains products based on graphite, MoS2, PTFE and Boron Nitride (hBn). These can be used as additives, lubricants and processing products.

Cleaner

A range of process and workplace cleaners, both for the industry as well as for food processing plants. The cleaners for the Food Industry are NSF H-1, C-1 and K-1 approved.


















Introduction

This brochure highlights and illustrates the Cleaners and Cleaner related products Matrix has in its portfolio. The line of cleaners is based on many different types of chemistry under the name Cleanmax and Foodmax Clean (food grade cleaners). The explanation and selection tables should allow you to select the right cleaner for the right job but please do not hesitate to ask for help or advise.







Testing is knowing

Although knowledge is power the only way to really know if a cleaner works is to try them. Samples can be made available on request. Please contact your local dealer or Matrix direct.

The nature of cleaning agents

Cleaning is the physical removal of grease, oil, dirt and debris (soil) from surfaces of for example equipment

Cleaning agents are chemicals, as are soils. As soils are usually chosen for their properties in some operations (e.g. lubrication, heat transfer, cutting, etc.) so are cleaning agents chosen for their performance in process cleaning equipment.

Solvents or detergent solutions which provide good rinsing have the following:

- Low surface tension (so they can penetrate into small clearances between components)
- Low viscosity (so frictional pressure drop does not limit flow volume)
- High specific gravity (so lighter materials are easily displaced)
- Either complete miscibility or complete immiscibility with the cleaning agent (so they can dilute or displace the cleaning agent respectively)

Solvents or detergent solutions which provide poor cleaning can be described as follows:

- Having a strong affinity for a soil but having a low holding capacity for it (solubility)
- Only gradually penetrating and swelling the soil and so it can be removed by rinse fluids
- Efficiently dissolving a soil only at a temperature above its boiling point. This is nearly useless, as pressurized contacting equipment is expensive
- Having a low evaporation rate, without regard to its solubility for the soil. After all, any undried cleaning and rinsing solvent is just another soil on the parts



Solvents have been used to clean parts during the past decade. The phase out of the chlorofluoro carbon (CFC) to restrict solvent emissions from solvent cleaning processes in the 1990s resulted in the development of "new" solvents which can comply with the most restrictive emission control regulations. A solvent cleaning process has three steps: wash, rinse and dry.

- 1. The washing step brings parts and a chosen solvent together. Usually the togetherness means immersion of the parts in solvent. The choice of the solvent is chiefly based on compatibility of the solvent with the soil to be removed. Soil is removed oily when it dissolves in the solvent.
- 2. The rinsing step brings fresh (or more soil-free) solvent together with the parts, using the same contact method used in the washing step. The aim is to dilute the soil rich solvent. Soiled solvent can't ever produce perfectly cleaned parts.
- 3. The drying step means separation of nearly clean solvent from parts. Almost always this is done by the evaporation of the solvent.


Often solvent cleaning is preferred because of the simplicity inherent in the above three steps.

Aqueous cleaning is performed by a combination of the following:

- Detergents to lift the soils from the parts
- Heat to make detergents more compatible with the soils and to soften the soils
- · Fluid force to dislodge the soils from the parts and collect the insoluble soils in some removal system
- It is recommendable to rinse with clean water, or the parts will not be clean. If spot-free drying is needed the final rinse of the cleaned parts is with mineral-free water so that evaporation does not leave mineral deposits
- Drying, with forced hot air







Choosing between Solvents or Aqueous Cleaners

Without prejudice, either technology can be made to work in the majority of applications. The difference is based on personal preferences where you can take the following parameters into consideration:

- Soil rejection and recovery of cleaning agent
- Water or air pollution regulations
- Cvcle time
- Odor preference
- Soil management
- Final dryness quality

No matter the type of product is used to clean, good cleaning takes a lot of energy. There are four factors that influence the effectiveness of wet chemical cleaning processes;

- Chemical energy, provided by the cleaner
- Mechanical energy, provided by a machine or by hand
- Thermal energy, provided by heating
- Time

Let's look at how all these factors work together.

The cleaner used provides chemical energy. This energy is created by the composition of the cleaner and because of the way the ingredients in the cleaner interact with the pollution. You cannot see it with your eyes, but the molecules in the cleaner are attracted to the pollution.

Next, let's see what happens when we add mechanical energy.

Spraying, rubbing with cloths or brushing all is mechanical energy. The rubbing actions helps to loosen the pollution and free it from the surface. Mechanical energy can be provided by equipment but also by hand.

The final type of energy is thermal energy. Thermal energy means temperature. Increasing the temperature of the cleaner can help speed things along and become more effective.

All three types of energy need the right amount of time to work best. The more one type of energy is used, the less others are needed.

Methods of Cleaning

There are many ways to clean. They include:

- Ultrasonic
- Aqueous Immersion
- · High Pressure Spray Washing
- Agitation
- Scrubbing

In the next pages we will describe the different methods of cleaning.



Ultrasonic Cleaning


Ultrasonic cleaning uses sound waves at frequencies above what is audible by the human ear. As the sound wave energy travels through the aqueous cleaning solution, small micron-sized bubbles are formed and quickly grow, storing tremendous amounts of energy and pressure inside. When one of these bubbles reaches an unstable size, it implodes, creating a jet about 1/10th the bubble's size. The jet, traveling at speeds in excess of 400 km/hr., very effectively and efficiently knocks off surface contaminants. This formation and subsequent implosion of bubbles is called cavitation and is what gives ultrasonic cleaning its incredible cleaning power.


Contaminants frequently removed with ultrasonic cleaning include, but are not limited to:

- Buffing and polishing compounds
- Cutting Oils from machining operations
- Paraffin based RPs
- Cleaning greases and sludge from rebuilt components
- Metal chips
- Dirt and debris


Working principle of ultrasonic cleaning









constantly breaking



Energy water waves constantly impact to produce energy the surface of object




Destroy and strip the attached dirts



During ultrasonic

cleaning

After



Aqueous Immersion

Immersion cleaning is the process by which the parts to be cleaned are placed in the cleaning solution to come in contact with the entire surface of the parts. It is the most effective degreasing method, even if not the fastest one.

An aqueous parts washer is a safe and effective waste-based solution that, unlike petroleum-based solvents, are typically non-flammable and contain little or no VOC's. It is an alternative to solvent parts cleaning and eliminates the need for harmful cleaning solutions. Aqueous parts washers use water-based chemicals. Instead of dissolving grease and solids, aqueous cleaners rely on heat, agitation, and soap action to break dirt into smaller particles.

A simple method of applying mechanical energy to immersion cleaning procedures is to move the parts through the cleaning liquid by vertical agitation. The repeated up and down motion is effective in cleaning simple parts, such as workpieces without blind holes, undercuts and/or drill holes.

Another type of part agitation, which is used in aqueous and solvent cleaning processes in closed machines, is to slew or to rotate the parts. In this case, the workpieces are usually cleaned stacked or bulked in baskets. In order to avoid damage of the workpieces through part-on-part or part-on-basket contact special washing meshes can be placed in the basket as intermediate layers.

More effective is the pressurized flow cleaning procedure, also called injection flood washing process. The cleaning basket is also flooded with the cleaning liquid and usually turned as well. At the same time, pumps draw fluid out of the cleaning bath and subsequently inject it back into the bath at high pressure levels through nozzles located underneath the fill level. This results in strong currents that wash over and around the workpieces and remove contaminants from surfaces, blind holes, cavities and recesses.

High Pressure Spray Washing

High Pressure spray washing is comparable to an industrial dishwasher. This part washing technique employs high pressure sprayers positioned around an internal wash chamber and provides high amounts of mechanical energy to push soils. This technique can provide operators with a much faster clean-time, but it's critical for users to choose cleaners that are formulated for high pressure spray with sufficient defoaming properties.

In spray cleaning processes, contamination is partially dissolved or emulsified by the cleaning media - usually an aqueous agent - and partially washed away by the kinetic energy of the spray jet. So mechanical energy here results from the pressure at which the medium is sprayed onto the surface to be cleaned. Depending on the application, working pressure can be as high as 25 bar. High-pressure applications, which range from 150 bar up to more than 2,000 bar allow for cleaning and deburring in a single step. The only real disadvantage to using this method is when trying to clean parts that include hidden grooves and curves or where internal surfaces require cleaning, as it will not prove effective.

Cleaning by Agitation

A simple method of applying mechanical energy to immersion cleaning procedures is to move the parts through the cleaning liquid by vertical agitation. The repeated up and down motion is effective in cleaning simple parts, such as workpieces without blind holes, undercuts and/or drill holes.

Another type of part agitation, which is used in aqueous and solvent cleaning processes in closed machines, is to slew or to rotate the parts. In this case, the workpieces are usually cleaned stacked or bulked in baskets. In order to avoid damage of the workpieces through part-on-part or part-on-basket contact special washing meshes can be placed in the basket as intermediate layers.

Cleaning by Scrubbing

Floors are often cleaned by scrubbing using scrubbing equipment. The mechanical cleaning part plays a larger role in this way of cleaning. Scrubbing is also used by brushes in for example parts cleaners.



Cleaners Selection Table 1/2

	Available packaging				Chara	cteristics				Type of Pollution						Application			
Product	400 ml spray Can with wipes 500 ml trigger A liter refill for dispenser 4 liter with pump 5 liter can	200 liter drum Composition Type	Colour	Flashpoint C°	퓝	Refractometer index	Odor	Emulsion	Foaming Dirt	Grease Grease Other pollution	Suitable for	Not Suitable for	Application	Remarks	Remarks	High Pressure Steam machine Spraying Dipping	Ultrasonic Cleaning Manual (Brushing/rubbing)	NSF	Approvals
Foodmax Clean		D-Limonene	Colorle	125 & Flammabl Aerosol	ole		Citrus	N	N	x x Stickers, label, paint & glue remover	Machine & parts		Heavy duty cleaner to remove oil, grease, polymer compounds. Machinery, walls, wood, leather, fiberglass, stainless steel, cement, motors, door panels, road tar, floors, oxidation, carpets, glass		Heavy duty cleaner also suitable for aluminium, leaves no stains. Deodorizes as it cleans		ye	es C1	Kosher & Halal
Foodmax Clean S		Solvent	Colorle	>40 & Flammabl Aerosol	le		None	N	N	х х	Machine & parts	Long term contact with plastics	Cleaner suitable to remove organic and oil based materials like lubricants, dirt and filth.	Acetone & silicone free			no	o K1	Kosher & Halal
Foodmax Clean Ultra		Solvent	Colorle	ess 62			None	N	N x	x x	Machine & parts	Long term contact with plastics	Safe readily biodegradable alternative to solvents like kerosene, mineral spirits and dearomatised solvents	Evaporates without leaving residues	Dry cleaning fluid		ye	es H1	Kosher & Halal
Foodmax Clean E		Solvent	Colorle	Flammabl Aerosol			None	N	N x	x x Dust	Electronics, circuit boards		Degreaser for electrical contacts. Dries rapidly leaving no residues. Suitable for control panles, electric motors, electrical contacts	Cleaning can be done while equipment is under power	Leaves no stains, can alos be used as a very quick drying general purpose cleaner		no	o K2	Kosher & Halal
Foodmax 1001 HE-2		Solvent	Transpa Yellowi	rant 68			None	N	N x	x x	Steel & aluminium parts	Long term contact with plastics	Powerfull cleaner leaving no residues. Can be used in food production areas where incidental contact is possible	Leaves no stains			no	o H1	Kosher & Halal
Foodmax DWF		Solvent	Colorle	68 & Flammabl Aerosol			Typical	N	N	x x	Steel, aluminium, plastic		General purpose cleaning and polishing fluid	Dewatering properties, protects against rust for a short period				Н1	Kosher & Halal
Foodmax Clean BIO		Aqueous	Whitis	sh Non flammabl		7.5-8.5	Typical	Y	N x	х х	Equipment, machine parts, work areas, tools, surfaces before painting			Becomes more effective at elevated temperatures (between 40-70°C) Suitable for floor cleaning and floor cleaning equipment (low foaming) Removes air pollution on window frames.			ye	es A1	Kosher & Halal
Foodmax Clean Wipes			Whitis	sh > 93	7		Light citrus		х	x x Paint	Equipment, machine parts, work areas, tools, hands and many other surfaces		Strong two-sided cleaning wipes containing a powerful cleaner in a resealable container	Effectively removes heavy pollutions like oil, greases, tar, PU foam, resin soot, grass stains, paint, ink, marker, toner and graffiti.				A1	
Foodmax Clean Wipes Plus			Orang	ge > 93	7		Light citrus		х	x x Paint	Equipment, machine parts, work areas, tools, hands and many other surfaces		Strong two-sided cleaning wipes containing a powerful cleaner in a resealable container	Effectively removes heavy pollutions like oil, greases, tar, PU foam, resin soot, grass stains, paint, ink, marker, toner and graffiti.	Foodmax Clean Wipes Plus has additional rubbing power compared to Foodmax Clean Wipes			A1	
Performance Clean Foam		Foam	Transpa	rant Flammabl Aerosol			Characteristic		Y x	x x Smoke & ink	Industrial workplace environments, counters, wall tiles, furniture, car parts, doors, whiteboards, sanitary fittings, kitchen cupboards, garden furniture	Untreated metals	White boards, kitchen closets, food production equipment	The creation of foam ensures long contact time for effective cleaning Performance Foam does not drip even on vertical surfaces			no	0	
Performance Clean Contact		Solvent	Transpa	rant Flammabl Aerosol		1.370	Characteristic	N	N x	x x	Sensitive electronics, electronic equipment, switches, batteries, contact points, printed circuit board switches, multiple sockets		High quality spray to clean electrical contacts. Performance Clean Contact removes oil, dirt, dust, residues and condensation from sensitive electronics, switches and equipment		Safe for plastics & rubbers		no	0	
Performance Clean Stainless		Oil	Transpa White	rant Flammable Aerosol			Lemon	N	N x	x Fingerprints	Microwaves, refrigerators, sinks, stainless steel trashcans, counters, terrace heating, extractor hoods, garden lightening		High quality spray to quickly clean shine & protect stainless steel parts. Effectively eliminates surface fingerprints, grease, streaks, residues and haze.				no	0	
Performance Clean Window		Water	Transpa	rant Flammabl Aerosol			Characteristics	Y	Y x		Windows (glass & plastic), mirrors, whiteboards, counters, furniture		High quality spray to clean windscreens and mirrors	High dissolving properties, streak free, leaves no residues			no	0	
Performance Citrus Clean		Citrus Terpene	e Transpa	rant Flammabl Aerosol			Lemon	N	N x	x X Stickers, label, paint & glue remover	Powerful cleaner based on citrus to remove grease, tar, oil, wax, ink, resin, stickers and residues of glue from parts of treated and untreated metal, stainless steel, fiberglass, aluminium, concrete, wood, stone and various types of plastic.		Machine parts, garden tools, garden furniture, wooden parts, windows, floors & walls, axels, grills, stove tops	Removes labels & stickers	Deodorizes as it cleans		no	0	
Performance Clean BC		Aliphatic Hydocart	oons Colorle	PISS Flammable Aerosol	ole I			N	N x	x x	Matrix Performance Clean BC does not leave residues, is not conductive and non- corrosive. Rapidly removes oil, grease, brake fluid and other contaminants from parts. Ideal for industrial repairs and assemblies.	Polished & plastic parts	Machine parts, brakes	Powerful quick drying cleaner and degreaser with high dissolving properties			no	0	
Cleanmax BC		Aliphatic Hydocart	oons Colorle	ess -12				N	N x	x x	Matrix Performance Clean BC does not leave residues, is not conductive and non- corrosive. Rapidly removes oil, grease, brake fluid and other contaminants from parts. Ideal for industrial repairs and assemblies.	Polished & plastic parts	Machine parts, brakes	Powerful quick drying cleaner and degreaser with high dissolving properties			no	0	

10

Cleaners Selection Table 2/2

	Available packaging					teristics			Î	Type	of Pollution						Application		
Product	400 ml spray Can with wipes 500 ml trigger Hiter refill for dispenser 4 liter with pump 5 liter can 20 liter can	200 liter drum Composition Type	Colour	Flashpoint C°	표	Refractometer index	Odor	Emulsion	Dirt	Oil Grease	Other pollution	Suitable for	Not Suitable for	Application	Remarks	Remarks	High Pressure Steam machine Spraying Dipping Circulation	Ulfrasonic Cleaning Manual (Brushing/rubbing) Biodegradable	NSF Approvals
Cleanmax Condenser		Corrosion inhibitors, alkaline substances, silicates, solvents, and a very strong set of the highest quality non-ionic surfactants	Pale yellow	Non flammable	13,4		Neutral, cean Breeze, Green tea	Y	l x	x x	Eliminates bad od	Cleanmax Condenser is a cleaner for professional use that very effectively cleans the condensers of outdoor air conditioning units.		Outdoor air conditioning and refrigeration units	Improves the efficiency of air conditioning units	Lower energy consumption after cleaning		no	PZH (Polish NSF)
Cleanmax Evaporator		Corrosion inhibitors, alkaline substances, silicates, solvents, and a very strong set of the highest quality non-ionic surfactants	Pale yellow	Non flammable	12.7		Neutral, cean Breeze, Green tea	Y	l x	x x	Eliminates bad od	Cleanmax Evaporator is a cleaner for professional use that can be indoors		Air conditioning equipment - indoor units, air filters, evaporators, air-conditioning ducts and other industrial surfaces and equipment.	Improves the efficiency of air conditioning units	Lower energy consumption after cleaning		no	PZH (Polish NSF)
Cleanmax Biopower		The formulation is based on a mixture of cationic and non-ionic surfactants, alkali and excipients	Pale yellow	Non flammable				Υ	l x	x x		Cleanmax Biopower is an alkaline cleaner for professional use. It has a strong degreasing power, dissolves heavy dirt & debris which other standard cleaners cannot remove.		Chilled display cases, kitchen and catering equipment, condensers, all-purpose use.	Effectively removes fat, protein and deposits, dissolves cakes and heavy dirt			yes	PZH (Polish NSF)
Cleanmax Spray		Solvent & Tensides	Colorless	62				Υ	′ x	x x	Water	Iron, aluminum & alloys		Solvent degreaser capable of absorbing water and water based materials. Cleanmax Spray can be used to change from oil based hydraulics to water/glycol based hydraulics and reverse.					
Cleanmax 1313		Alkali	Pale yellow	Non flammable	9 (@ 5% solution)	2.5		Y I	w x	x x		Suitable to remove oils, metal working fluids, dirty and dusty environments, grease in industrial vehicles, trains, trucks, cars, parts and components.		High pressure, low foaming cleaner high pressure washing machines used in metal working processes	Can be diluted with water. 5% concentration is recommended for general cleaning. Concentration to be controlled by refractometer				
Cleanmax Bio HD		Alkali		Non flammable				Y lo	w x	x x	Carbon deposit			Very active alkali all-round cleaner to clean surfaces, pumps, chains, pipes and floors. Very suitable for high temperature chain cleaning (carbon deposits).		Can be used in steam or high pressure cleaners (1:9), spraying (1:7) or manually (1:1), cleans effectively when diluted with both warm and cold water.		yes	
Cleanmax CCT		Synthetic	Amber	180				N	l x		Carbon deposits lacquering as a re of oxidated oils	ult		Concentrated system cleaner for hydraulic, heat transfer, gear and circulation systems without requiring a mayor shutdown		Cleanmax CCT can be added to the existing fluid at a rate up to 10% (depending on the pollution) for a longer period. Fluid can be normally operated allowing the cleaning process to work			
Cleanmax PAG		Esters & PAG	Yellowish	240				N	l x		Sludge & varnis		Systems filled with mineral oils and or PAO	Based on Esters and PAG, Cleanmax PAG cleans circuits, pipes and sumps. Removes oil and sludge deposits	Cleanmax PAG need to be mixed with the PAG in the system in a proportion of 10%. Leave in the system for 12 to 48 hours				
Airtop Clean		Synthetic	Yellowish	180				N	l x		Oxidation depos from compresso lubricants			Concentrated cleaner for compressors & vacuumpumps		Airtop Clean can be added to the existing fluid at a rate up to 10% (depending on the pollution) for a longer period. Fluid can be normally operated allowing the cleaning process to work			
Sol Clean		Aqueous	Yellowish	Non flammable	12 @ 1%			Y L	w x	x x	Fungi & bacteri	Cleaning & desinfection of systems working with aqueous emulsions	Yellow metals with a concentration over 1%			Should be mixed directly into the contaminated emulsion 1-3%.			
Fluorsol X		Fluorinated	Colorless	34			Ether	N	l x	x x	Fluorinated oil a greases	Parts covered in fluorinated lubricants		Glass, Plastic, all metals, washing of electric & electronics,	Can also be used to disperse fluorinated greases and oils				
Cleanmax Hand AM		Neutral	Beige	Non	6.5	C	haracteristic		x	х	Paint		People who are allergic to		Solvent free mild hand soap, contains sweet almond oil as skin care agent	Available in 4 liter with pump or 4 liter refill for wall dispenser			
Cleanmax Hand CT		Citrus	Yellow	Non flammable	665		Citric			x x		Food industry	aimonds and wainuts		Solvent free hand soap, skin friendly abrasives	Available in 4 liter with pump or 4 liter refill for wall dispenser			
Cleanmax Hand AM Cleanmax Hand CT	H	Neutral Citrus	Beige Yellow	flammable	665	C	haracteristic			x x x		Food industry	People who are allergic to almonds and walnuts		Solvent free mild hand soap, contains sweet almond oil as skin care agent Solvent free hand soap, skin friendly abrasives	Available in 4 liter with pump or 4 liter refill for wall dispenser Available in 4 liter with pump or 4 liter refill for wall dispenser			

12

for increasing the product's resistance operating conditions. to oxidation and for lengthening its service life: rust and corrosion inhibitors or spattering.

Free of water, especially water of situation can determine such a value. crystallization.

dissipate more rapidly. It promotes the without the assistance of an extraneous combination of small bubbles into large ignition source. This temperature is Co bubbles which burst more rapidly.

A chemical added in small quantities Base Oils The additive activates in two ways: by combining with the peroxides formed Base Stocks initially by oxidation paralyzing their Refined petroleum oils that can either

product additives are: oxidation inhibitors a film on the surfaces under normal viscosity of the base oil needs to be most common grade.

to protect lubricated surfaces against Also referred to as NEUT or A form of lubrication effective in the water, an important consideration in Fire Point rusting and corrosion, demulsifiers NEUTRALIZATION number: the absence of a full fluid film. Made possible the lubricant maintenance of many Lowest temperature at which a to promote oil-water, separation. VI specific quantity of reagent required to by the inclusion of certain additives in circulating systems. improvers to make an oil's viscosity less 'neutralize" the acidity or alkalinity of a the lubricating oil that prevent excessive sensitive to changes in temperature, lube oil sample. In service, the oil will, friction and scoring by forming a film pour-point depressants to lower the in time, show increasing acidity as the whose strength is greater than that of oil An additive which chemically neutralizes required to reach the fire point from the cold temperature fluidity of petroleum result of oxidation and, in some cases, alone. These additives include oiliness acidic contaminants in the oil before flash point. products, oiliness agents, anti-wear additive depletion. Though acidity is agents, compounded oils, anti-wear they become insoluble and fall out of agents, and EP additives to prevent high not, of itself, necessarily harmful, an agents, and extreme pressure agents. the oil forming sludge. Particles are kept friction, wear, or scoring under various increase in acidity any be indicative of conditions of boundary lubrication, oil deterioration, and NEUT number is Carbon Residue detergents and dispersants to maintain widely used to evaluate the condition. Coked material formed after lubricating cleanliness of lubricated parts, anti-foam of an oil in service. The most common oil has been exposed to high agents to reduce foaming tendencies, measurement is ACID NUMBER, the temperatures. and tackiness agents to increase the specific quantity of KOH (potassium adhesive properties of a lubricant, hydroxide) required to counterbalance Copper Strip Corrosion only broad experience with the individual matching of corrosion stains.

An additive that causes foam to combustible fluid will burst into flame contaminants in the lubricant. than the flash and fire point.

to a petroleum product to increase Base stocks or blends used as an bearing. When mixing different thickener insoluble liquids (such as oil and water). Compounds of hydrogen and carbon of its oxidative resistance in order to inert ingredient in the manufacturing of types, consult supplier on compatibility. prolong its storage and/or service life, automotive and industrial lubricants. Some incompatible thickeners are EP agent

oxidizing influence, or reacting with a be blended with one another or catalyst to coat it with an inert film. supplemented with additives to make lubricants.

designed correctly for the application.

improve retention, and prevent dripping the acid characteristics. How high an Evaluation of a product's tendency to considered an indication of the high dissipate more rapidly. It promotes the acid number can be tolerated depends corrode copper or copper alloys. ASTM temperature limitation for application combination of small bubbles into large on the oil and the service conditions, and D130. Test results are based on the purposes.

properties. Whenever two incompatible thickeners are mixed, grease usually becomes soft and runs out of the A mechanical mixture of two mutually some polyureas.

A lubricant's ability to separate from

finely divided so that they can remain A possible reaction of an oil when mixed dispersed throughout the lubricant.

The temperature at which a grease changes from semi-solid to a liquid state under test conditions. It may be An additive which causes foam to

A lubricant additive for protecting fluid component. Minute quantities principle. The Four Ball Wear Test is used Minimum temperature at which a surfaces against chemical attack from of a fluid (typically water) can be to determine the relative wear-preventing dissolved or absorbed into the oil, but properties of lubricants operating under excess quantities can be most harmful boundary lubrication conditions. The to equipment due to the entrainment Four Ball Extreme Pressure Test is typically several hundred degrees higher This is one of the most important grease leaving gaps in the lubricated areas. designed to evaluate performance under

pressure properties of a lubricant.

A chemical added in small quantities to An additive that minimizes wear caused Because oil does the lubricating in NLGI grade is based on amount of Lowest temperature at which the air vapor a product to improve certain properties. by metal-to-metal contact by reacting a grease, and viscosity is the most thickener. Consistency describes the from a sample of a petroleum product or Among the more common petroleum chemically with the metal by forming important property of the lubricant, the stiffness of the grease. NLGI 2 is the other combustible fluid will "flash" in the presence of an ignition source. The flash can be seen in the form of a small spark over the liquid.

combustible fluid will burst into flame in the presence of an extraneous ignition source. Very little additional heat is

with air. This entrained air can result in reduced film strength and performance

bubbles which burst more easily.

Describing a state of an immiscible Two test procedures on the same much higher unit loads.

which petroleum products are typically examples. Petroleum oils are generally aluminum and barium soaps, clay and An additive to improve the extreme grouped into two parts: Naphthenics, which possess a high proportion of unsaturated cyclic molecules; and paraffinic, which possess a low proportion of unsaturated cyclic molecules.

A Gulf patented process used to make On the other hand, as soon as the A widely used low temperature flow. The ability to dissolve into a solution. Measure of a fluid's resistance to lubricant base stocks. In the process, temperature will go beyond 25°C, the indicator, depicted as -15°C above the producing a homogeneous physical flow. This is typically measured as the lubricant feedstocks are reacted with NLGI grade is reduced and the grease temperature to which a normal liquid mixture. The degree of solvency time required for a standard quantity hydrogen in the presence of a catalyst becomes less stiff. at very high temperature (400°C) and pressure (3000 plus psi). The process displaces impurities and unsaturated A form of chemical deterioration to pour points due to the formation of wax

A type of lubrication effected solely by It is accelerated by higher temperatures the pumping action developed by the above 25°C, with the rate of oxidation Rust Inhibitor surfaces, and viscosity retards the tendency to squeeze the oil out. If the pressure developed by this action is A chemical added in small quantities Shear Stress said to prevail.

International Standard Organization

Under high-load conditions, highviscosity base stock is required and additive like molybdenum disulfide.

The best way to define the consistency Institute). A test method defines the at low temperatures. Most common test shear conditions. following grades according to a level of is Lincoln Ventmeter. penetration measured at a temperature of 25°C. The consistency of the grease will change as soon as the temperature of the application will increase or decrease. When temperature falls below 25°C, the NLGI grade rises and the grease will appear more stiff.

oxygen atoms resulting in degradation. increase in viscosity.

oxidizing influence, or reacting with a contact between the sliding layers. catalyst to coat it with an inert film.

usually with an EP additive or solid For a grease to be effective, a small consistency under high shear amount of oil must separate from the conditions. The shear stability test Vapor Pressure thickener (usually less than 3%).

up. Paraffinic oils typically have higher to the solution. which all petroleum products are crystals, while many other lubricants Synthetic lubricants subject to, and involves the addition of reach their low pour points through an Lubricants manufactured by a process, are always expressed together. Tests

sliding of one surface over another doubling by each 10°C increase. With Alubricant additive for protecting ferrous mixture takes place. in contact with an oil. Adhesion to fuels and lubricant oils, oxidation (iron and steel) components from Common types of synthetic base oil. The measure of the rate of change of the moving surface draws the oil into produces sludges, varnishes, gums, rusting caused by water contamination include: Polyalpha olefins (PAO), viscosity with temperature. Heating the high-pressure area between the and acids, all of which are undesirable. or other harmful materials from oil Hydrocracked/Hydroisomerized, tends to make lubricants thinner, degradation.

sufficient to completely separate the to a petroleum product to increase A unit of frictional force overcome Timken OK load two surfaces, full-fluid-film lubrication is its oxidation resistance in order to in sliding one layer of fluid along Measure of the extreme pressure determining the VI, two temperatures prolong its storage and/or service life. another. This is typically measured in properties of a lubricant. The additive activates in two ways: by pounds per square foot, with pounds combining with the peroxides formed representing the frictional force, and Thickener for Grease initially by oxidation, paralyzing their square feet representing the area of A grease consists of a base oil, Vo

measures the softening of grease when The measure of a liquid's volatility. petroleum products can be evaluated sheared for 10,000 or 100,000 double. The higher the pressure at a standard with tests for flash point, vapor strokes with a grease worker. Loss test temperature, the more volatile the pressure, distillation, and evaporation or stiffness of the grease is set out by This is an important property when of less than one NLGI grease grade sample, and the more readily it will rate. the NLGI (National Lubricating Grease pumping grease in centralized systems signifies a stable thickener under high evaporate.

in a compressor and on parts bathed Similar to but softer than lacquer. by the lubricating oil. This includes decomposition products from the fuel. oil, and particulates from sources external to the compressor.

petroleum product maintains fluidity. It is varies along with the rate of dissolution of fluid at a certain temperature to a significant factor in cold weather start- depending on the amount of heat added flow through a standard orifice. The

where a chemical conversion or are typically conducted at 40°C and transformation of one complex mixture 100°C. of molecules into another complex

Unconventional Base Oils (UCBO), cooling makes them thicker. The Organic Esters, Polyglycols (PAG).

additives and a thickener. There The property of a liquid that defines are soap and non-soap thickeners, its evaporation characteristics. Of two Each thickener type provides unique liquids, the more volatile one will boil at Grease needs to maintain its characteristics to the grease.

The collective name for contamination polymerization of fuels and lubricants. when submerged in water. Water spray-

higher the value, the more viscous the fluid. Viscosity varies inversely with temperature, so the measurements

higher a VI is on a particular fluid, the less of a change in viscosity there will be over a given temperature range. In of viscosity are taken, one at 40°C and the other at 100°C.

a lower temperature and will evaporate faster when both liquids are at the same temperature. The volatility of

Water washout test measures ability of A deposit resulting from oxidation and a thickener to remain intact in bearing off measures ability of a thickener to remain in bearing in presence of water spray. Both of these tests measure percent grease removed.

